



Zhongshan Tengxin Lighting Co., Ltd

Addr: 3F, No. 12, Huaji Street, Xiaolan Town, Zhongshan City, Guangdong Province, China

Tel: +86 13078690719

Whatsapp: +85257479701

WeChat: +8613078690719

Email: hua001.tenseng@gmail.com

Web: <https://tensenggj.com/>

## GYPSUM & CONCRETE LAMPS

**Ecological Artistic Lighting**



# About Us

Tenxin Lighting was established in 2016 and is headquartered in Xiaolan Town, Guangdong Province, China. For nearly 10 years, we have been dedicated to the field of artistic lighting using natural materials, and we are well-known for our high-quality LED ecological artistic lighting products. We have been known in the industry as "Nature Artists". Our products have passed relevant certifications such as CE, RoHS, and FCC.

We have an experienced design team and skilled craftsmen, a mature and complete production chain, and an enterprise quality management system, which enable us to create high-quality, sustainable, and innovative ecological artistic lighting projects.

## Our Vision

Through our innovation and services, bring value to our customers and society.

# Contents


|     |                                    |         |
|-----|------------------------------------|---------|
| 1   | Gypsum Lamps -----                 | 01-82   |
| 1_1 | Embedded Ceiling Lamps -----       | 01-18   |
| 1_2 | Linear Lamps -----                 | 19-20   |
| 1_3 | Surface-Mounted Ceiling Lamp ----- | 21-34   |
| 1_4 | Surface-Mounted Wall Lamps -----   | 35-50   |
| 1_5 | Embedded Wall Lamps -----          | 51-70   |
| 1_6 | Surface-Mounted Wall Lamps -----   | 71-78   |
| 1_7 | Embedded Wall Lamp -----           | 79-82   |
| 2   | Concrete Lamps -----               | 83-112  |
| 2_1 | Ceiling Lamps -----                | 83-86   |
| 2_2 | Wall Lamps -----                   | 87-90   |
| 2_3 | Pendent Lamps -----                | 91-104  |
| 2_4 | Outdoor Wall Lamps -----           | 105-110 |
| 2_5 | Garden Lamps -----                 | 111-112 |





GYPSUM LAMPS

Embedded Ceiling Lamps



P 01-20

Surface-Mounted Ceiling Lamps




P 21-34

Surface-Mounted Wall Lamps



P 35-50

Embedded Wall Lamps



P 51-70

Surface-Mounted Wall Lamps



P 71-78

Embedded Wall Lamps



P 79-82



Process Differences Between Gypsum and Cement

Gypsum and cement products are derived from natural materials. After being carefully hand-carved by artisans and treated with the help of modern technology. Perfectly materialize the designer's design concepts. Forming a beautiful piece of industrial art.

The manufacturing method of gypsum and cement is exactly the same, and the mold can be completely universal. However, the molding time of cement is longer than that of gypsum, about 1.5 times that of gypsum, and the weight of cement is heavier, so the cost is higher than that of gypsum.

We have a mature and complete enterprise quality management system

Design-----Design review and inspection.

Materials-----IQC (Incoming Quality Control) inspection.

Production process-----IPQC (In - process Quality Control) inspection.

Finished products-----Finished product inspection.

Shipment-----Outgoing inspection.

Gypsum and Cement Products Production Process



Step 01: Making Molds



Step 02: Making Gypsum or Cement Slurry




Step 03: Vacuum Pumping



Step 04: Grout



Step 05: Demoulding Molding



Step 06: Water Grinding and Air Drying



Step 07: Finely Polished



Step 08: Inspection and Repair



Step 09: Finished Product

Product Testing and Inspection



Light Source Testing




Electronics Testing



High and low temperature testing



Aging Test



Drop Test



Voltage withstand and grounding resistance testing



Appearance Inspection



Structural Dimension Inspection



Finished Product Inspection






### Characteristics of Embedded Plaster Ceiling Lights:

The flush-mounted installation makes the light fixture blend seamlessly with the ceiling, not only enhancing the overall aesthetics of the space but also keeping the ceiling clean and uniform. It truly achieves the feature of "seeing light but not seeing the lamp."


Gypsum is hand-crafted into various shapes, with a natural texture and clean and environmentally friendly.

Because gypsum lamps do not have frames, they seamlessly blend in with walls and ceilings, with no dead corners or crevices, making it less likely to accumulate dust and dirt, reducing the hassle of cleaning.






| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX51001 | 220-240V | LED          | 9W      |



Color/Material:



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX51002 | 220-240V | LED          | 18W     |



Color/Material:




| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX51013 | 220-240V | LED          | 6W      |



Color/Material:



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX51004 | 220-240V | LED          | 6W      |




Color/Material:







| Model   | Voltage  | Light Source | Wattage    |
|---------|----------|--------------|------------|
| TX51005 | 220-240V | CREE LED     | MAX 1×1.5W |



Color/Material:




| Model   | Voltage  | Light Source | Wattage    |
|---------|----------|--------------|------------|
| TX51006 | 220-240V | CREE LED     | MAX 1×1.5W |



Color/Material:




| Model   | Voltage      | Light Source | Wattage |
|---------|--------------|--------------|---------|
| TX51007 | 220-240V/12V | GU10/MR16    | MAX35W  |



Color/Material:




| Model   | Voltage      | Light Source | Wattage |
|---------|--------------|--------------|---------|
| TX51018 | 220-240V/12V | GU10/MR16    | MAX35W  |



Color/Material:




| Model     | Voltage      | Light Source | Wattage  |
|-----------|--------------|--------------|----------|
| TX51007-2 | 220-240V/12V | 2×GU10/MR16  | 2×MAX35W |




Color/Material:




| Model     | Voltage      | Light Source | Wattage  |
|-----------|--------------|--------------|----------|
| TX51007-3 | 220-240V/12V | 3×GU10/MR16  | 3×MAX35W |



Color/Material:




| Model   | Voltage      | Light Source | Wattage |
|---------|--------------|--------------|---------|
| TX51003 | 220-240V/12V | GU10/MR16    | MAX35W  |



Color/Material:



| Model     | Voltage  | Light Source | Wattage  |
|-----------|----------|--------------|----------|
| TX51018-2 | 220-240V | 2×GU10/MR16  | 2×MAX35W |




Color/Material:








| Model     | Voltage      | Light Source | Wattage  |
|-----------|--------------|--------------|----------|
| TX51003-2 | 220-240V/12V | 2×GU10/MR16  | 2×MAX35W |




Color/Material:




| Model     | Voltage      | Light Source | Wattage  |
|-----------|--------------|--------------|----------|
| TX51003-3 | 220-240V/12V | 3×GU10/MR16  | 3×MAX35W |



Color/Material:




| Model   | Voltage      | Light Source | Wattage |
|---------|--------------|--------------|---------|
| TX51008 | 220-240V/12V | GU10/MR16    | MAX35W  |



Color/Material:





| Model     | Voltage      | Light Source | Wattage  |
|-----------|--------------|--------------|----------|
| TX51008-2 | 220-240V/12V | 2×GU10/MR16  | 2×MAX35W |



Color/Material:





| Model     | Voltage      | Light Source | Wattage  |
|-----------|--------------|--------------|----------|
| TX51008-3 | 220-240V/12V | 3×GU10/MR16  | 3×MAX35W |

Color/Material:



White Gypsum (Pointable)

CE

RoHS

IP20

Ra>80



| Model   | Voltage      | Light Source | Wattage  |
|---------|--------------|--------------|----------|
| TX51010 | 220-240V/12V | 4×GU10/MR16  | 4×MAX35W |

Color/Material:


White Gypsum (Pointable)

CE

RoHS

IP20

Ra>80



| Model   | Voltage      | Light Source | Wattage |
|---------|--------------|--------------|---------|
| TX51009 | 220-240V/12V | GU10/MR16    | MAX35W  |

Color/Material:

White Gypsum (Pointable)

CE

RoHS

IP20

Ra>80



| Model   | Voltage      | Light Source | Wattage |
|---------|--------------|--------------|---------|
| TX51011 | 220-240V/12V | GU10/MR16    | MAX35W  |

Color/Material:



White Gypsum (Pointable)

CE

RoHS

IP20

Ra>80



| Model     | Voltage      | Light Source | Wattage  |
|-----------|--------------|--------------|----------|
| TX51009-2 | 220-240V/12V | 2×GU10/MR16  | 2×MAX35W |

Color/Material:



White Gypsum (Pointable)

CE

RoHS

IP20

Ra>80



| Model     | Voltage      | Light Source | Wattage  |
|-----------|--------------|--------------|----------|
| TX51011-2 | 220-240V/12V | 2×GU10/MR16  | 2×MAX35W |

Color/Material:



White Gypsum (Pointable)

CE

RoHS

IP20

Ra>80



| Model     | Voltage      | Light Source | Wattage  |
|-----------|--------------|--------------|----------|
| TX51009-3 | 220-240V/12V | 3×GU10/MR16  | 3×MAX35W |

Color/Material:



White Gypsum (Pointable)

CE

RoHS

IP20

Ra>80



| Model   | Voltage      | Light Source | Wattage |
|---------|--------------|--------------|---------|
| TX51012 | 220-240V/12V | GU10/MR16    | MAX35W  |

Color/Material:

White Gypsum (Pointable)


CE

RoHS


IP20

Ra>80





| Model   | Voltage      | Light Source | Wattage |
|---------|--------------|--------------|---------|
| TX51015 | 220-240V/12V | GU10/MR16    | MAX35W  |



Color/Material:

White Gypsum (Pointable)

CE

RoHS

IP20

Ra >80


Energy Star

Recycling

Household



| Model   | Voltage      | Light Source | Wattage |
|---------|--------------|--------------|---------|
| TX51019 | 220-240V/12V | GU10/MR16    | MAX35W  |



Color/Material:

White Gypsum (Pointable)

CE

RoHS

IP20

Ra >80


Energy Star

Recycling

Household



| Model   | Voltage      | Light Source | Wattage |
|---------|--------------|--------------|---------|
| TX51014 | 220-240V/12V | GU10/MR16    | MAX35W  |



Color/Material:

White Gypsum (Pointable)

CE

RoHS

IP20

Ra >80


Energy Star

Recycling

Household



| Model   | Voltage      | Light Source | Wattage |
|---------|--------------|--------------|---------|
| TX51021 | 220-240V/12V | GU10/MR16    | MAX35W  |



Color/Material:

White Gypsum (Pointable)

CE

RoHS

IP20

Ra >80


Energy Star

Recycling

Household



| Model   | Voltage      | Light Source | Wattage |
|---------|--------------|--------------|---------|
| TX51017 | 220-240V/12V | GU10/MR16    | MAX35W  |



Color/Material:

White Gypsum (Pointable)

CE

RoHS


IP20

Ra >80


Energy Star

Recycling

Household



| Model   | Voltage      | Light Source | Wattage |
|---------|--------------|--------------|---------|
| TX51020 | 220-240V/12V | GU10/MR16    | MAX35W  |



Color/Material:

White Gypsum (Pointable)

CE

RoHS

IP20

Ra >80


Energy Star

Recycling

Household



| Model   | Voltage      | Light Source | Wattage |
|---------|--------------|--------------|---------|
| TX51016 | 220-240V/12V | GU10/MR16    | MAX35W  |



Color/Material:

White Gypsum (Pointable)

CE

RoHS

IP20

Ra >80


Energy Star

Recycling

Household



| Model   | Voltage      | Light Source | Wattage |
|---------|--------------|--------------|---------|
| TX51022 | 220-240V/12V | GU10/MR16    | MAX35W  |



Color/Material:

White Gypsum (Pointable)

CE

RoHS

IP20

Ra >80

Energy Star

Recycling


Household



Embedded Gypsum Ceiling Lamps



| Model   | Voltage      | Light Source | Wattage |
|---------|--------------|--------------|---------|
| TX51025 | 220-240V/12V | GU10/MR16    | MAX35W  |



Color/Material:

White Gypsum (Pointable)

CE

RoHS

IP20

Ra >80


Energy Star

Recycling

Dimmable



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX51027 | 220-240V | LED          | 9W      |



Color/Material:

White Gypsum (Pointable)

CE

RoHS

IP20

Ra >80


Energy Star

Recycling

Dimmable



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX51026 | 220-240V | LED          | 9W      |



Color/Material:

White Gypsum (Pointable)

CE

RoHS


IP20

Ra >80


Energy Star

Recycling

Dimmable



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX51028 | 220-240V | GU10         | 35W     |



Color/Material:

White Gypsum (Pointable)

CE

RoHS

IP20


Ra >80

Energy Star


Recycling

Dimmable







| Model   | Voltage      | Light Source | Wattage |
|---------|--------------|--------------|---------|
| TX51030 | 220-240V/12V | GU10/MR16    | MAX35W  |



Color/Material:




| Model   | Voltage      | Light Source | Wattage |
|---------|--------------|--------------|---------|
| TX51029 | 220-240V/12V | GU10/MR16    | MAX35W  |




Color/Material:




| Model   | Voltage      | Light Source | Wattage |
|---------|--------------|--------------|---------|
| TX51036 | 220-240V/12V | GU10/MR16    | MAX35W  |



Color/Material:




| Model   | Voltage      | Light Source | Wattage |
|---------|--------------|--------------|---------|
| TX51035 | 220-240V/12V | GU10/MR16    | MAX35W  |




Color/Material:



Embedded Gypsum Ceiling Lamps




| Model   | Voltage      | Light Source | Wattage |
|---------|--------------|--------------|---------|
| TX51031 | 220-240V/12V | GU10/MR16    | MAX35W  |



Color/Material:




| Model   | Voltage      | Light Source | Wattage |
|---------|--------------|--------------|---------|
| TX51033 | 220-240V/12V | GU10/MR16    | MAX35W  |





Color/Material:




| Model   | Voltage      | Light Source | Wattage |
|---------|--------------|--------------|---------|
| TX51034 | 220-240V/12V | GU10/MR16    | MAX35W  |



Color/Material:





| Model   | Voltage      | Light Source | Wattage |
|---------|--------------|--------------|---------|
| TX51030 | 220-240V/12V | GU10/MR16    | MAX35W  |

Color/Material:


White Gypsum (Pointable)

CE

RoHS

IP20

Ra>80



| Model     | Voltage      | Light Source | Wattage  |
|-----------|--------------|--------------|----------|
| TX51030-2 | 220-240V/12V | 2×GU10/MR16  | 2×MAX35W |

Color/Material:


White Gypsum (Pointable)

CE

RoHS

IP20

Ra>80



| Model   | Voltage      | Light Source | Wattage |
|---------|--------------|--------------|---------|
| TX51039 | 220-240V/12V | LED/GU10     | 9W/35W  |

Color/Material:


White Gypsum (Pointable)

CE

RoHS

IP20

Ra>80



| Model   | Voltage      | Light Source | Wattage |
|---------|--------------|--------------|---------|
| TX51043 | 220-240V/12V | GU10/MR16    | MAX35W  |

Color/Material:


White Gypsum (Pointable)

CE

RoHS

IP20

Ra>80



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX51040 | 220-240V | LED          | 18W     |

Color/Material:



White Gypsum (Pointable)

CE

RoHS

IP20

Ra>80



| Model   | Voltage  | Light Source | Wattage   |
|---------|----------|--------------|-----------|
| TX51044 | 220-240V | CREE LED     | MAX ×1.5W |

Color/Material:


White Gypsum (Pointable)

CE

RoHS

IP20

Ra>80



| Model   | Voltage      | Light Source | Wattage |
|---------|--------------|--------------|---------|
| TX51041 | 220-240V/12V | GU10/MR16    | MAX35W  |

Color/Material:


White Gypsum (Pointable)

CE

RoHS

IP20

Ra>80



| Model   | Voltage  | Light Source | Wattage   |
|---------|----------|--------------|-----------|
| TX51045 | 220-240V | CREE LED     | MAX ×1.5W |

Color/Material:

White Gypsum (Pointable)


CE

RoHS

IP20

Ra>80





| Model   | Size        | Cut-out | Material |
|---------|-------------|---------|----------|
| TX54002 | 170×50×1000 | 175×55  | Gypsum   |

Color/Material:

White Gypsum (Pointable)

CE

RoHS

IP20

Ra>80



| Model   | Size        | Cut-out | Material |
|---------|-------------|---------|----------|
| TX54001 | 120×50×1000 | 125×55  | Gypsum   |

Color/Material:

White Gypsum (Pointable)

CE

RoHS

IP20

Ra>80



| Model   | Size         | Cut-out   | Material |
|---------|--------------|-----------|----------|
| TX54003 | 1000×49.5×81 | 1005×44.5 | Gypsum   |

Color/Material:


White Gypsum (Pointable)

CE

RoHS

IP20

Ra>80



| Model   | Size      | Cut-out | Material |
|---------|-----------|---------|----------|
| TX54004 | 993×60×75 | 996×63  | Gypsum   |

Color/Material:

White Gypsum (Pointable)

CE

RoHS

IP20

Ra>80



| Model   | Size       | Cut-out  | Material |
|---------|------------|----------|----------|
| TX54005 | 995×210×90 | 1000×215 | Gypsum   |

Color/Material:

White Gypsum (Pointable)

CE

RoHS

IP20

Ra>80



### Characteristics of Surface-Mounted Gypsum Ceiling Lights:

**Simple and elegant:** Gypsum ceiling lights blend well with the ceiling, and the installation is not intrusive, leaving the ceiling neat and tidy, with good visual effects.

**Decorative:** Gypsum has strong plasticity, and the lamp shape is unique and distinctive. It seamlessly integrates with the walls and ceiling, which can enhance the sense of space.


**Dust-free:** Gypsum ceiling lights have no frame and form a unified whole with the walls and ceiling, with no dead ends or crevices, making it less likely to accumulate dust and dirt, reducing cleaning troubles.

**Environmentally friendly:** Gypsum is hand-crafted into various shapes, with a natural texture and clean and environmentally friendly.







Surface-Mounted Gypsum Ceiling Lamps



| Model    | Light source | Colour | Material | Product Size |
|----------|--------------|--------|----------|--------------|
| TX53012  | GU10         | White  | Gypsum   | Φ167*90mm    |
| TX53012A | GU10         | White  | Gypsum   | Φ167*130mm   |




| Model    | Light source | Colour | Material | Product Size |
|----------|--------------|--------|----------|--------------|
| TX53013  | GU10         | White  | Gypsum   | Φ70*112mm    |
| TX53013A | GU10         | White  | Gypsum   | Φ70*170mm    |



| Model    | Light source | Colour | Material | Product Size |
|----------|--------------|--------|----------|--------------|
| TX53014  | GU10         | White  | Gypsum   | 70*70*70mm   |
| TX53014A | GU10         | White  | Gypsum   | 70*70*110mm  |




| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX53003 | 220-240V | GX53         | MAX7W   |



Color/Material:




| Model     | Voltage  | Light Source | Wattage |
|-----------|----------|--------------|---------|
| TX53003-2 | 220-240V | 2×GX53       | MAX7W   |



Color/Material:




| Model     | Voltage  | Light Source | Wattage |
|-----------|----------|--------------|---------|
| TX53003-3 | 220-240V | 3×GX53       | MAX7W   |



Color/Material:




| Model     | Voltage  | Light Source | Wattage |
|-----------|----------|--------------|---------|
| TX53003-5 | 220-240V | 5×GX53       | MAX7W   |



Color/Material:







| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX53002 | 220-240V | GX53         | MAX7W   |

Color/Material:


White Gypsum (Pointable)

CE

RoHS

IP20

Ra>80



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX53001 | 220-240V | 5×GU10       | MAX35W  |

Color/Material:


White Gypsum (Pointable)

CE

RoHS

IP20

Ra>80



| Model     | Voltage  | Light Source | Wattage |
|-----------|----------|--------------|---------|
| TX53002-2 | 220-240V | 2×GX53       | MAX7W   |

Color/Material:


White Gypsum (Pointable)

CE

RoHS

IP20

Ra>80



| Model   | Voltage  | Light Source   | Wattage |
|---------|----------|----------------|---------|
| TX53004 | 220-240V | MINI-GU10/MR11 | MAX35W  |

Color/Material:


White Gypsum (Pointable)

CE

RoHS

IP20

Ra>80



| Model     | Voltage  | Light Source | Wattage |
|-----------|----------|--------------|---------|
| TX53002-3 | 220-240V | 3×GX53       | MAX7W   |

Color/Material:


White Gypsum (Pointable)

CE

RoHS

IP20

Ra>80



| Model     | Voltage  | Light Source   | Wattage |
|-----------|----------|----------------|---------|
| TX53005-4 | 220-240V | MINI-GU10/MR11 | MAX35W  |

Color/Material:


White Gypsum (Pointable)

CE

RoHS

IP20

Ra>80



| Model     | Voltage  | Light Source | Wattage |
|-----------|----------|--------------|---------|
| TX53002-5 | 220-240V | 5×GX53       | MAX7W   |

Color/Material:


White Gypsum (Pointable)

CE

RoHS

IP20

Ra>80



| Model     | Voltage  | Light Source   | Wattage |
|-----------|----------|----------------|---------|
| TX53005-8 | 220-240V | MINI-GU10/MR11 | MAX35W  |

Color/Material:

White Gypsum (Pointable)

CE


RoHS

IP20

Ra>80




| Model   | Voltage  | Light Source | Wattage    |
|---------|----------|--------------|------------|
| TX53007 | 220-240V | GX53         | MAX 7W-LED |



Color/Material:




| Model     | Voltage  | Light Source | Wattage      |
|-----------|----------|--------------|--------------|
| TX53007-2 | 220-240V | 2×GX53       | 2×MAX 7W-LED |



Color/Material:




| Model     | Voltage  | Light Source | Wattage      |
|-----------|----------|--------------|--------------|
| TX53007-3 | 220-240V | 3×GX53       | 3×MAX 7W-LED |



Color/Material:



| Model   | Voltage  | Light Source | Wattage    |
|---------|----------|--------------|------------|
| TX53008 | 220-240V | GX53         | MAX 7W-LED |




Color/Material:







| Model     | Voltage  | Light Source | Wattage      |
|-----------|----------|--------------|--------------|
| TX53008-2 | 220-240V | 2×GX53       | 2×MAX 7W-LED |




Color/Material:



White  
Gypsum  
(Pointable)



| Model     | Voltage  | Light Source | Wattage      |
|-----------|----------|--------------|--------------|
| TX53009-3 | 220-240V | 3×GX53       | 3×MAX 7W-LED |




Color/Material:



White  
Gypsum  
(Pointable)



| Model     | Voltage  | Light Source | Wattage      |
|-----------|----------|--------------|--------------|
| TX53008-3 | 220-240V | 3×GX53       | 3×MAX 7W-LED |




Color/Material:



White  
Gypsum  
(Pointable)



| Model   | Voltage  | Light Source | Wattage    |
|---------|----------|--------------|------------|
| TX53010 | 220-240V | GX53         | MAX 7W-LED |




Color/Material:



White  
Gypsum  
(Pointable)



| Model   | Voltage  | Light Source | Wattage    |
|---------|----------|--------------|------------|
| TX53009 | 220-240V | GX53         | MAX 7W-LED |




Color/Material:



White  
Gypsum  
(Pointable)



| Model     | Voltage  | Light Source | Wattage      |
|-----------|----------|--------------|--------------|
| TX53010-2 | 220-240V | 2×GX53       | 2×MAX 7W-LED |




Color/Material:



White  
Gypsum  
(Pointable)



| Model     | Voltage  | Light Source | Wattage      |
|-----------|----------|--------------|--------------|
| TX53009-2 | 220-240V | 2×GX53       | 2×MAX 7W-LED |




Color/Material:



White  
Gypsum  
(Pointable)




| Model     | Voltage  | Light Source | Wattage      |
|-----------|----------|--------------|--------------|
| TX53010-3 | 220-240V | 3×GX53       | 3×MAX 7W-LED |




Color/Material:



White  
Gypsum  
(Pointable)






| Model   | Voltage  | Light Source     | Wattage |
|---------|----------|------------------|---------|
| TX53011 | 220-240V | 24V-SMD-LED 2835 | 8W+12W  |

Color/Material:

White  
Gypsum  
(Pointable)



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX53006 | 220-240V | E27          | MAX 40W |

Color/Material:

White  
Gypsum  
(Pointable)








### Characteristics of Surface-mounted Wall Lamps:

The open wall lamp is flexible to use, and can be freely combined with various styles to create an ideal decorative effect. Installation and replacement are very convenient, suitable for installation on various walls, and also very simple to install and replace.

The gypsum and cement wall lights are all integrated lights, without gaps or dead ends, making it difficult for dust and dirt to accumulate, reducing cleaning worries. Gypsum and cement are hand-polished to form various shapes, with a natural texture and environmental cleanliness.



| Model   | Voltage      | Light Source | Wattage              |
|---------|--------------|--------------|----------------------|
| TX31020 | 220-240V/12V | 2×GU10/MR16  | 2×MAX50W<br>2×MAX35W |

Color/Material:

White Gypsum (Pointable)

CE

RoHS


IP20

Ra >80

Energy Efficient

Recycling

Warranty



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX31021 | 220-240V | G9           | MAX35W  |

Color/Material:

White Gypsum (Pointable)

CE

RoHS


IP20

Ra >80

Energy Efficient

Recycling

Warranty



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX31022 | 220-240V | E14          | MAX40W  |

Color/Material:

White Gypsum (Pointable)

CE

RoHS



IP20

Ra >80

Energy Efficient

Recycling

Warranty



| Model   | Voltage  | Light Source | Wattage             |
|---------|----------|--------------|---------------------|
| TX31023 | 220-240V | G9<br>R7S    | MAX 50W<br>MAX 100W |

Color/Material:

White Gypsum (Pointable)

CE

RoHS

IP20



Ra >80

Energy Efficient

Recycling

Warranty





| Model   | Voltage  | Light Source | Wattage   |
|---------|----------|--------------|-----------|
| TX31024 | 220-240V | 2×GU10       | 2×MAX 50W |
|         | 12V      | 2×GU10       | 2×MAX 35W |

Color/Material:


White Gypsum (Pointable)

CE

RoHS

IP20

Ra>80



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX31025 | 220-240V | G9           | MAX 33W |
|         | 12V      | CREE COB     | MAX 6W  |

Color/Material:


White Gypsum (Pointable)

CE

RoHS

IP20

Ra>80



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX31026 | 220-240V | GU10×2       | MAX 33W |

Color/Material:


White Gypsum (Pointable)

CE

RoHS

IP20

Ra>80



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX31027 | 220-240V | G9           | MAX 35W |

Color/Material:


White Gypsum (Pointable)

CE

RoHS

IP20

Ra>80



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX31102 | 220-240V | E14          | MAX 40W |

Color/Material:


White Gypsum (Pointable)

CE

RoHS

IP20

Ra>80



| Model   | Voltage | Light Source | Wattage |
|---------|---------|--------------|---------|
| TX31005 | 85-265V | G9           | MAX40W  |

Color/Material:


White Gypsum (Pointable)

CE

RoHS

IP20

Ra>80



| Model   | Voltage  | Light Source     | Wattage  |
|---------|----------|------------------|----------|
| TX31029 | 220-240V | 12V-SMD-LED 2835 | MAX 5.6W |

Color/Material:



White Gypsum (Pointable)

CE

RoHS

IP20

Ra>80



| Model   | Voltage  | Light Source     | Wattage  |
|---------|----------|------------------|----------|
| TX31030 | 220-240V | 12V-SMD-LED 2835 | MAX 6.5W |

Color/Material:

White Gypsum (Pointable)

CE


RoHS

IP20

Ra>80



| Model   | Voltage  | Light Source     | Wattage  |
|---------|----------|------------------|----------|
| TX31031 | 220-240V | 12V-SMD-LED 2835 | MAX 6.5W |



Color/Material:

White Gypsum (Pointable)

CE


RoHS

IP20

Ra>80



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX31035 | 220-240V | 2×G9         | MAX35W  |



Color/Material:

White Gypsum (Pointable)

CE


RoHS

IP20

Ra>80



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX31032 | 220-240V | 24V-SMD2835  | 7.5W    |
| TX31033 | 220-240V | 24V-SMD2835  | 4W      |



Color/Material:

White Gypsum (Pointable)

CE


RoHS

IP20

Ra>80



| Model     | Voltage  | Light Source | Wattage |
|-----------|----------|--------------|---------|
| TX31035-2 | 220-240V | 4×G9         | MAX35W  |



Color/Material:

White Gypsum (Pointable)

CE


RoHS

IP20

Ra>80



| Model   | Voltage | Light Source | Wattage |
|---------|---------|--------------|---------|
| TX31018 | 85-265V | G9           | MAX40W  |



Color/Material:

White Gypsum (Pointable)

CE


RoHS

IP20

Ra>80



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX31037 | 220-240V | G9           | MAX 33W |



Color/Material:

White Gypsum (Pointable)

CE

RoHS

IP20

Ra>80



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX31034 | 220-240V | E27          | MAX 40W |



Color/Material:


White Gypsum (Pointable)

CE


RoHS

IP20

Ra>80



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX31038 | 220-240V | E14 / E27    | MAX 40W |



Color/Material:

White Gypsum (Pointable)


CE

RoHS

IP20


Ra>80






| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX31039 | 220-240V | E14 / E27    | MAX 40W |

Color/Material:




| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX31040 | 220-240V | E14          | MAX 40W |

Color/Material:



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX31041 | 220-240V | E14          | MAX 35W |


Color/Material:



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX31042 | 220-240V | E14          | MAX 40W |

Color/Material:





| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX31043 | 220-240V | E14 / E27    | MAX 40W |


Color/Material:



White  
Gypsum  
(Pointable)




| Model   | Voltage | Light Source | Wattage   |
|---------|---------|--------------|-----------|
| TX31057 | 24V     | SMD-LED2835  | MAX 22.5W |



Color/Material:



White  
Gypsum  
(Pointable)



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX31044 | 220-240V | 2 × E14      | MAX 40W |


Color/Material:



White  
Gypsum  
(Pointable)




| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX31045 | 220-240V | G9           | MAX 40W |



Color/Material:



White  
Gypsum  
(Pointable)



| Model   | Voltage | Light Source | Wattage   |
|---------|---------|--------------|-----------|
| TX31055 | 24V     | SMD-LED2835  | MAX 32.5W |


Color/Material:



White  
Gypsum  
(Pointable)




| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX31046 | 220-240V | G9           | MAX 40W |



Color/Material:



White  
Gypsum  
(Pointable)



| Model   | Voltage | Light Source | Wattage   |
|---------|---------|--------------|-----------|
| TX31056 | 24V     | SMD-LED2835  | MAX 15.6W |


Color/Material:



White  
Gypsum  
(Pointable)



| Model   | Voltage | Light Source | Wattage |
|---------|---------|--------------|---------|
| TX31009 | 85-265V | G9           | MAX 40W |



Color/Material:




White  
Gypsum  
(Pointable)







| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX31051 | 220-240V | G9           | MAX 40W |



Color/Material:

White Gypsum (Pointable)

CE


RoHS

IP20

Ra ≥80



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX31052 | 220-240V | G9           | MAX 40W |



Color/Material:

White Gypsum (Pointable)

CE


RoHS

IP20

Ra ≥80



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX31053 | 220-240V | G9           | MAX 40W |



Color/Material:

White Gypsum (Pointable)

CE


RoHS

IP20

Ra ≥80



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX31054 | 220-240V | E14          | MAX 40W |



Color/Material:

White Gypsum (Pointable)

CE


RoHS

IP20

Ra ≥80



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX31049 | 220-240V | E14          | MAX 40W |



Color/Material:

White Gypsum (Pointable)

CE

RoHS


IP20

Ra >80


LED

Dimmable

Energy Efficient



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX31050 | 220-240V | G9           | MAX 40W |



Color/Material:

White Gypsum (Pointable)

CE

RoHS

IP20

Ra >80


LED

Dimmable

Energy Efficient



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX31047 | 220-240V | LED          | 5W      |



Color/Material:

White Gypsum (Pointable)

CE

RoHS

IP20

Ra >80


LED

Dimmable

Energy Efficient



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX31048 | 220-240V | LED          | 5W      |



Color/Material:

White Gypsum (Pointable)

CE

RoHS

IP20

Ra >80

LED

Dimmable

Energy Efficient




**Characteristics of Embedded Plaster Wall Lamps:**

**Strong decoration:** The gypsum lamp can be seamlessly embedded in the wall or ceiling, which truly achieves the effect of "seeing light without seeing the lamp", making it appear as if the light is emitted from the wall or ceiling.


**Adaptability:** Embedded stone lamps can be installed on walls or ceilings, creating a quiet and dreamy lighting effect for the home.




Embedded Gypsum Wall Lamps




| Model   | Voltage         | Light Source     | Wattage           |
|---------|-----------------|------------------|-------------------|
| TX52001 | 220-240V<br>12V | CREE LED<br>MR11 | MAX 1×1.5W<br>25W |



Color/Material:




| Model   | Voltage         | Light Source     | Wattage           |
|---------|-----------------|------------------|-------------------|
| TX52002 | 220-240V<br>12V | CREE LED<br>MR11 | MAX 1×1.5W<br>25W |



Color/Material:




| Model   | Voltage         | Light Source     | Wattage           |
|---------|-----------------|------------------|-------------------|
| TX52003 | 220-240V<br>12V | CREE LED<br>MR11 | MAX 1×1.5W<br>25W |



Color/Material:



| Model   | Voltage         | Light Source | Wattage            |
|---------|-----------------|--------------|--------------------|
| TX52004 | 220-240V<br>12V | GU10<br>MR16 | MAX 35W<br>MAX 35W |




Color/Material:







| Model   | Voltage         | Light Source | Wattage            |
|---------|-----------------|--------------|--------------------|
| TX52005 | 220-240V<br>12V | GU10<br>MR16 | MAX 35W<br>MAX 35W |



Color/Material:

White Gypsum (Pointable)

CE


RoHS

IP20

Ra >80



| Model    | Voltage  | Light Source | Wattage |
|----------|----------|--------------|---------|
| TX52007S | 220-240V | E14          | MAX 40W |



Color/Material:

White Gypsum (Pointable)

CE


RoHS

IP20

Ra >80



| Model   | Voltage | Light Source | Wattage |
|---------|---------|--------------|---------|
| TX52006 | 12V     | 2835-SMD LED | MAX 7W  |



Color/Material:

White Gypsum (Pointable)

CE


RoHS

IP20

Ra >80



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX52008 | 220-240V | E14          | 35W     |



Color/Material:

White Gypsum (Pointable)

CE


RoHS

IP20

Ra >80



| Model    | Voltage  | Light Source | Wattage |
|----------|----------|--------------|---------|
| TX52007L | 220-240V | 2×GU10       | MAX 35W |
|          | 12V      | MR16         | MAX 35W |



Color/Material:

White Gypsum (Pointable)

CE


RoHS

IP20

Ra >80



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX52009 | 220-240V | E14          | 35W     |



Color/Material:

White Gypsum (Pointable)

CE


RoHS

IP20

Ra >80



| Model    | Voltage  | Light Source | Wattage |
|----------|----------|--------------|---------|
| TX52007M | 220-240V | E14          | MAX 40W |



Color/Material:

White Gypsum (Pointable)

CE


RoHS

IP20

Ra >80



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX52010 | 220-240V | E14          | 35W     |



Color/Material:


White Gypsum (Pointable)

CE


RoHS

IP20

Ra >80



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX52011 | 220-240V | 2× G9        | 35W     |



Color/Material:

White Gypsum (Pointable)

CE


RoHS

IP20

Ra>80



| Model   | Voltage  | Light Source | Wattage    |
|---------|----------|--------------|------------|
| TX52014 | 220-240V | GREE LED     | MAX 1×1.5W |



Color/Material:


White Gypsum (Pointable)

CE


RoHS

IP20

Ra>80



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX52012 | 220-240V | G9           | MAX 40W |



Color/Material:

White Gypsum (Pointable)

CE


RoHS

IP20

Ra>80



| Model    | Voltage         | Light Source | Wattage            |
|----------|-----------------|--------------|--------------------|
| TX52015L | 220-240V<br>12V | GU10<br>MR16 | MAX 35W<br>MAX 35W |



Color/Material:

White Gypsum (Pointable)

CE


RoHS

IP20

Ra>80



| Model    | Voltage         | Light Source     | Wattage           |
|----------|-----------------|------------------|-------------------|
| TX52013M | 220-240V<br>12V | GREE LED<br>MR11 | MAX 1×1.5W<br>25W |



Color/Material:

White Gypsum (Pointable)

CE


RoHS

IP20

Ra>80



| Model    | Voltage         | Light Source | Wattage            |
|----------|-----------------|--------------|--------------------|
| TX52015M | 220-240V<br>12V | GU10<br>MR16 | MAX 35W<br>MAX 35W |



Color/Material:

White Gypsum (Pointable)

CE


RoHS

IP20

Ra>80



| Model    | Voltage         | Light Source     | Wattage           |
|----------|-----------------|------------------|-------------------|
| TX52013S | 220-240V<br>12V | GREE LED<br>MR11 | MAX 1×1.5W<br>25W |



Color/Material:

White Gypsum (Pointable)

CE


RoHS

IP20

Ra>80



| Model    | Voltage         | Light Source | Wattage            |
|----------|-----------------|--------------|--------------------|
| TX52015S | 220-240V<br>12V | GU10<br>MR16 | MAX 35W<br>MAX 35W |



Color/Material:

White Gypsum (Pointable)

CE

RoHS

IP20

Ra>80






Embedded Gypsum Wall Lamps




| Model   | Voltage         | Light Source | Wattage            |
|---------|-----------------|--------------|--------------------|
| TX52016 | 220-240V<br>12V | GU10<br>MR16 | MAX 35W<br>MAX 35W |




Color/Material:

White Gypsum (Pointable)






| Model   | Voltage         | Light Source     | Wattage           |
|---------|-----------------|------------------|-------------------|
| TX52017 | 220-240V<br>12V | CREE LED<br>MR11 | MAX 1×1.5W<br>25W |




Color/Material:

White Gypsum (Pointable)





| Model   | Voltage         | Light Source     | Wattage           |
|---------|-----------------|------------------|-------------------|
| TX52018 | 220-240V<br>12V | CREE LED<br>MR11 | MAX 1×1.5W<br>25W |




Color/Material:

White Gypsum (Pointable)





| Model     | Voltage         | Light Source     | Wattage           |
|-----------|-----------------|------------------|-------------------|
| TX52018-2 | 220-240V<br>12V | CREE LED<br>MR11 | MAX 1×1.5W<br>25W |




Color/Material:

White Gypsum (Pointable)






| Model   | Voltage  | Light Source | Wattage    |
|---------|----------|--------------|------------|
| TX52019 | 220-240V | CREE LED     | MAX 1×1.5W |
|         | 12V      | MR11         | 25W        |




Color/Material:




| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX52020 | 220-240V | LED          | 2W      |



Color/Material:



| Model    | Voltage | Light Source | Wattage  |
|----------|---------|--------------|----------|
| TX52021M | 12V     | SMD-LED 2835 | MAX 6.5W |




Color/Material:



Four are circles  
LED light strip



| Model    | Voltage | Light Source | Wattage  |
|----------|---------|--------------|----------|
| TX52021S | 12V     | SMD-LED 2835 | MAX 3.6W |




Color/Material:







| Model    | Voltage  | Light Source | Wattage |
|----------|----------|--------------|---------|
| TX52022S | 220-240V | E27          | MAX 40W |



Color/Material:

White Gypsum (Pointable)

CE


RoHS

IP20

Ra>80



| Model    | Voltage  | Light Source | Wattage |
|----------|----------|--------------|---------|
| TX52022M | 220-240V | E27          | MAX 40W |



Color/Material:

White Gypsum (Pointable)

CE


RoHS

IP20

Ra>80



| Model    | Voltage  | Light Source         | Wattage |
|----------|----------|----------------------|---------|
| TX52023M | 220-240V | MR11(G5.3)/MINI-GU10 | MAX 35W |



Color/Material:

White Gypsum (Pointable)

CE


RoHS

IP20

Ra>80



| Model    | Voltage  | Light Source         | Wattage |
|----------|----------|----------------------|---------|
| TX52023S | 220-240V | MR11(G5.3)/MINI-GU10 | MAX 35W |



Color/Material:


White Gypsum (Pointable)

CE


RoHS

IP20

Ra>80



| Model   | Voltage  | Light Source     | Wattage |
|---------|----------|------------------|---------|
| TX52024 | 220-240V | 24V-SMD-LED 2835 | MAX 17W |



Color/Material:


White Gypsum (Pointable)

CE


RoHS

IP20

Ra>80



| Model   | Voltage  | Light Source     | Wattage |
|---------|----------|------------------|---------|
| TX52025 | 220-240V | 24V-SMD-LED 2835 | MAX 17W |



Color/Material:

White Gypsum (Pointable)

CE


RoHS

IP20


Ra >80

Light bulb icon

House icon



| Model   | Voltage  | Light Source     | Wattage |
|---------|----------|------------------|---------|
| TX52026 | 220-240V | 24V-SMD-LED 2835 | MAX 17W |



Color/Material:

White Gypsum (Pointable)

CE


RoHS

IP20


Ra >80

Light bulb icon

House icon



| Model   | Voltage  | Light Source     | Wattage |
|---------|----------|------------------|---------|
| TX52027 | 220-240V | 24V-SMD-LED 2835 | MAX 17W |



Color/Material:

White Gypsum (Pointable)

CE

RoHS

IP20

Ra >80

Light bulb icon

House icon



| Model   | Voltage  | Light Source | Size        |
|---------|----------|--------------|-------------|
| TX52028 | 220-240V | GU10         | 145×130×275 |

Color/Material:

White Gypsum (Pointable)

CE

RoHS


IP20

Ra >80

Light bulb icon

House icon





| Model   | Voltage  | Light Source         | Size        |
|---------|----------|----------------------|-------------|
| TX52029 | 220-240V | MR11(G5.3)/MINI-GU10 | 116×110×210 |

Color/Material:



| Model   | Voltage  | Light Source | Size        |
|---------|----------|--------------|-------------|
| TX52030 | 220-240V | GU10         | 166×130×225 |

Color/Material:





| Model   | Voltage  | Light Source | Size        |
|---------|----------|--------------|-------------|
| TX52031 | 220-240V | GU10         | 145×130×275 |

Color/Material:



| Model   | Voltage  | Light Source         | Size        |
|---------|----------|----------------------|-------------|
| TX52035 | 220-240V | MR11(G5.3)/MINI-GU10 | 155×152×273 |

Color/Material:



| Model   | Voltage  | Light Source | Size        |
|---------|----------|--------------|-------------|
| TX52032 | 220-240V | GU10         | 145×130×275 |

Color/Material:



| Model   | Voltage  | Light Source | Size        |
|---------|----------|--------------|-------------|
| TX52036 | 220-240V | GU10         | 190×145×225 |

Color/Material:



| Model   | Voltage  | Light Source | Size        |
|---------|----------|--------------|-------------|
| TX52033 | 220-240V | GU10         | 190×190×325 |

Color/Material:



| Model   | Voltage  | Light Source         | Size        |
|---------|----------|----------------------|-------------|
| TX52037 | 220-240V | MR11(G5.3)/MINI-GU10 | 144×128×280 |

Color/Material:



| Model   | Voltage  | Light Source | Size        |
|---------|----------|--------------|-------------|
| TX52034 | 220-240V | GU10         | 145×145×328 |

Color/Material:



| Model   | Voltage  | Light Source         | Size        |
|---------|----------|----------------------|-------------|
| TX52038 | 220-240V | MR11(G5.3)/MINI-GU10 | 145×145×250 |

Color/Material:







#### Characteristics of Gypsum and Cement Chandeliers:

**Strong decorative appeal:** Gypsum chandeliers feature a variety of shapes, exuding strong artistic beauty. They can enhance spatial layers, enrich the aesthetic of the space, and elevate the overall decorative effect.




**The delicate texture:** The fine texture of gypsum material can be well matched with the ceiling, creating a high-end atmosphere and adding rich variations in shape to the space.

**Environmental protection:** Gypsum is a natural material with a natural texture, and it is environmentally friendly and clean.






| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX13003 | 220-240V | E27          | MAX 40W |



Color/Material:  
White  
Gypsum  
(Pointable)




| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX13005 | 220-240V | E27          | MAX 40W |



Color/Material:  
White  
Gypsum  
(Pointable)




| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX13007 | 220-240V | E27          | MAX 40W |



Color/Material:  
White  
Gypsum  
(Pointable)




| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX13008 | 220-240V | E14          | 35W     |



Color/Material:  
White  
Gypsum  
(Pointable)








Color/Material:

White  
Gypsum  
(Pointable)



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX13006 | 220-240V | E27          | MAX 40W |




Color/Material:

White  
Gypsum  
(Pointable)



| Model   | Voltage  | Light Source | Wattage   |
|---------|----------|--------------|-----------|
| TX13012 | 220-240V | 3*E14        | MAX 3*40W |




Color/Material:

White  
Gypsum  
(Pointable)



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX13009 | 220-240V | G9           | MAX 40W |




Color/Material:

White  
Gypsum  
(Pointable)



| Model    | Voltage  | Light Source | Wattage |
|----------|----------|--------------|---------|
| TX13013L | 220-240V | E14          | MAX 40W |




Color/Material:

White  
Gypsum  
(Pointable)




| Model   | Voltage  | Light Source     | Wattage |
|---------|----------|------------------|---------|
| TX13010 | 220-240V | 24V-SMD-LED 2835 | MAX 46W |




Color/Material:

White  
Gypsum  
(Pointable)



| Model    | Voltage  | Light Source | Wattage |
|----------|----------|--------------|---------|
| TX13013S | 220-240V | E14          | MAX 40W |




Color/Material:

White  
Gypsum  
(Pointable)




| Model   | Voltage  | Light Source | Wattage   |
|---------|----------|--------------|-----------|
| TX13011 | 220-240V | 3*E14        | MAX 3*40W |




Color/Material:

White  
Gypsum  
(Pointable)




| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX13014 | 220-240V | G9           | MAX 40W |



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX13015 | 220-240V | E14          | MAX 40W |

Color/Material:


White Gypsum (Pointable)



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX13016 | 220-240V | LED          | 40W     |

Color/Material:


White Gypsum (Pointable)



| Model    | Voltage  | Light Source | Wattage |
|----------|----------|--------------|---------|
| TX130217 | 220-240V | E27          | MAX 60W |

Color/Material:


White Gypsum (Pointable)



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX13018 | 220-240V | E27          | MAX 60W |

Color/Material:


White Gypsum (Pointable)



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX13019 | 220-240V | E27          | MAX 60W |

Color/Material:

White Gypsum (Pointable)



| Model    | Voltage  | Light Source | Wattage |
|----------|----------|--------------|---------|
| TX13002A | 220-240V | E27          | MAX 60W |

Color/Material:

White Gypsum (Pointable)







| Model   | Voltage | Light Source | Size       |
|---------|---------|--------------|------------|
| TX21001 | 5V      | 1W-USB       | 151×86×170 |

Color/Material:



White  
Gypsum  
(Pointable)



| Model   | Voltage | Light Source | Size        |
|---------|---------|--------------|-------------|
| TX21002 | 5V      | 1W-USB       | 122×110×185 |

Color/Material:



White  
Gypsum  
(Pointable)






| Model   | Voltage | Light Source | Size      |
|---------|---------|--------------|-----------|
| TX21003 | 5V      | 1W-USB       | 77×77×230 |

Color/Material:




| Model   | Voltage | Light Source | Size     |
|---------|---------|--------------|----------|
| TX21007 |         |              | Ø285*510 |



Color/Material:




| Model   | Voltage  | Light Source | Size     |
|---------|----------|--------------|----------|
| TX21004 | 220-240V | E27×2        | Ø370×520 |



Color/Material:




| Model   | Voltage  | Light Source | Size |
|---------|----------|--------------|------|
| TX21008 | 220-240V | 2*E27        |      |



Color/Material:




| Model   | Voltage | Light Source | Size     |
|---------|---------|--------------|----------|
| TX21006 |         |              | Ø160*260 |



Color/Material:



| Model   | Voltage | Light Source | Size     |
|---------|---------|--------------|----------|
| TX21005 | /       | /            | Φ210*210 |



Color/Material:





CONCRETE LAMPS

Surface-Mounted Ceiling Lamps



P83-86

Surface-Mounted Wall Lamps



P87-90

Pendent Lamps



P91-104

Outdoor Wall Lamps



P105-110

Garden Lamps




P111-112



Concrete Ceiling Lamps




| Model    | Voltage  | Light Source | Wattage |
|----------|----------|--------------|---------|
| TX55001S | 220-240V | GU10         | Max35W  |



| Color/Material:        |                      |                        |                          |
|------------------------|----------------------|------------------------|--------------------------|
|                        |                      |                        |                          |
| Black Sandstone cement | Red Sandstone cement | White Sandstone cement | Clay color Smooth Cement |
|                        |                      |                        |                          |
| Brown Smooth Cement    | Grey Smooth Cement   | Khaki Smooth Cement    | Black Smooth Cement      |




| Model    | Voltage  | Light Source | Wattage |
|----------|----------|--------------|---------|
| TX55001L | 220-240V | GU10         | Max35W  |



| Color/Material:        |                      |                        |                          |
|------------------------|----------------------|------------------------|--------------------------|
|                        |                      |                        |                          |
| Black Sandstone cement | Red Sandstone cement | White Sandstone cement | Clay color Smooth Cement |
|                        |                      |                        |                          |
| Brown Smooth Cement    | Grey Smooth Cement   | Khaki Smooth Cement    | Black Smooth Cement      |




| Model    | Voltage  | Light Source | Wattage |
|----------|----------|--------------|---------|
| TX55002L | 220-240V | GU10         | Max35W  |



| Color/Material:        |                      |                        |                          |
|------------------------|----------------------|------------------------|--------------------------|
|                        |                      |                        |                          |
| Black Sandstone cement | Red Sandstone cement | White Sandstone cement | Clay color Smooth Cement |
|                        |                      |                        |                          |
| Brown Smooth Cement    | Grey Smooth Cement   | Khaki Smooth Cement    | Black Smooth Cement      |




| Model    | Voltage  | Light Source | Wattage |
|----------|----------|--------------|---------|
| TX55002S | 220-240V | GU10         | Max35W  |



| Color/Material:        |                      |                        |                          |
|------------------------|----------------------|------------------------|--------------------------|
|                        |                      |                        |                          |
| Black Sandstone cement | Red Sandstone cement | White Sandstone cement | Clay color Smooth Cement |
|                        |                      |                        |                          |
| Brown Smooth Cement    | Grey Smooth Cement   | Khaki Smooth Cement    | Black Smooth Cement      |










Color/Material:





| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX55003 | 220-240V | GU10         | Max7W   |




Color/Material:




| Model     | Voltage  | Light Source | Wattage |
|-----------|----------|--------------|---------|
| TX55004-3 | 220-240V | 3×GU10       | Max35W  |



Color/Material:




| Model     | Voltage  | Light Source | Wattage |
|-----------|----------|--------------|---------|
| TX55004-5 | 220-240V | 5×GU10       | Max35W  |



Color/Material:



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX55005 | 220-240V | 3×GU10       | Max35W  |



Color/Material:




| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX55006 | 220-240V | GU10         | Max35W  |






| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX33001 | 220-240V | GU9          | Max33W  |



| Color/Material:        |                      |                        |                          |
|------------------------|----------------------|------------------------|--------------------------|
| Black Sandstone cement | Red Sandstone cement | White Sandstone cement | Clay color Smooth Cement |
| Brown Smooth Cement    | Grey Smooth Cement   | Khaki Smooth Cement    | Black Smooth Cement      |




| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX33002 | 220-240V | E27          | Max40W  |



| Color/Material:        |                      |                        |                          |
|------------------------|----------------------|------------------------|--------------------------|
| Black Sandstone cement | Red Sandstone cement | White Sandstone cement | Clay color Smooth Cement |
| Brown Smooth Cement    | Grey Smooth Cement   | Khaki Smooth Cement    | Black Smooth Cement      |




| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX33003 | 220-240V | G9           | Max40W  |



| Color/Material:        |                      |                        |                          |
|------------------------|----------------------|------------------------|--------------------------|
| Black Sandstone cement | Red Sandstone cement | White Sandstone cement | Clay color Smooth Cement |
| Brown Smooth Cement    | Grey Smooth Cement   | Khaki Smooth Cement    | Black Smooth Cement      |




| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX33004 | 220-240V | G9           | Max40W  |



| Color/Material:        |                      |                        |                          |
|------------------------|----------------------|------------------------|--------------------------|
| Black Sandstone cement | Red Sandstone cement | White Sandstone cement | Clay color Smooth Cement |
| Brown Smooth Cement    | Grey Smooth Cement   | Khaki Smooth Cement    | Black Smooth Cement      |










| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX33005 | 220-240V | G9           | Max40W  |

Color/Material:





| Model   | Voltage  | Light Source | Wattage  |
|---------|----------|--------------|----------|
| TX33017 | 220-240V | 2×G9         | 2×Max40W |

Color/Material:




| Model    | Voltage  | Light Source | Wattage |
|----------|----------|--------------|---------|
| TX33006M | 220-240V | G9           | Max40W  |

Color/Material:




| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX33010 | 220-240V | 24V-SMD2835  | 4W      |

Color/Material:




| Model    | Voltage  | Light Source | Wattage |
|----------|----------|--------------|---------|
| TX33006S | 220-240V | G9           | Max40W  |

Color/Material:




| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX33015 | 220-240V | G9           | Max40W  |

Color/Material:



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX33007 | 220-240V | G9           | Max40W  |

Color/Material:




| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX33016 | 220-240V | E26/E27      | Max40W  |

Color/Material:






Concrete Pendant Lamps




| Model   | Voltage      | Light Source | Wattage |
|---------|--------------|--------------|---------|
| TX14015 | 220-240V/12V | GU10/MR16    | Max35W  |




Color/Material:

|                        |                      |                        |                          |
|------------------------|----------------------|------------------------|--------------------------|
|                        |                      |                        |                          |
| Black Sandstone cement | Red Sandstone cement | White Sandstone cement | Clay color Smooth Cement |
|                        |                      |                        |                          |
| Brown Smooth Cement    | Grey Smooth Cement   | Khaki Smooth Cement    | Black Smooth Cement      |




| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX14016 | 220-240V | GU10/MR16    | Max35W  |




Color/Material:

|                        |                      |                        |                          |
|------------------------|----------------------|------------------------|--------------------------|
|                        |                      |                        |                          |
| Black Sandstone cement | Red Sandstone cement | White Sandstone cement | Clay color Smooth Cement |
|                        |                      |                        |                          |
| Brown Smooth Cement    | Grey Smooth Cement   | Khaki Smooth Cement    | Black Smooth Cement      |



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX14017 | 220-240V | E27          | Max40W  |




Color/Material:

|                        |                      |                        |                          |
|------------------------|----------------------|------------------------|--------------------------|
|                        |                      |                        |                          |
| Black Sandstone cement | Red Sandstone cement | White Sandstone cement | Clay color Smooth Cement |
|                        |                      |                        |                          |
| Brown Smooth Cement    | Grey Smooth Cement   | Khaki Smooth Cement    | Black Smooth Cement      |



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX14018 | 220-240V | E27          | Max40W  |




Color/Material:

|                        |                      |                        |                          |
|------------------------|----------------------|------------------------|--------------------------|
|                        |                      |                        |                          |
| Black Sandstone cement | Red Sandstone cement | White Sandstone cement | Clay color Smooth Cement |
|                        |                      |                        |                          |
| Brown Smooth Cement    | Grey Smooth Cement   | Khaki Smooth Cement    | Black Smooth Cement      |







Color/Material:




| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX14019 | 220-240V | E27          | Max40W  |



Color/Material:




| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX14020 | 220-240V | E27          | MAX60W  |



Color/Material:




| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX14022 | 220-240V | E27          | Max40W  |



Color/Material:




| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX14023 | 220-240V | E27          | MAX 40W |



Color/Material:




| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX14021 | 220-240V | E27          | Max40W  |



Color/Material:




| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX14024 | 220-240V | E27          | Max40W  |



Color/Material:



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX14025 | 220-240V | Gu10         | MAX 35W |



Color/Material:



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX14026 | 220-240V | G9           | MAX 40W |






Concrete Pendant Lamps



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX14029 | 220-240V | E27          | MAX 40W |




Color/Material:

|                        |                      |                        |                          |
|------------------------|----------------------|------------------------|--------------------------|
| Black Sandstone cement | Red Sandstone cement | White Sandstone cement | Clay color Smooth Cement |
| Brown Smooth Cement    | Grey Smooth Cement   | Khaki Smooth Cement    | Black Smooth Cement      |



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX14030 | 220-240V | E27          | MAX 40W |




Color/Material:

|                        |                      |                        |                          |
|------------------------|----------------------|------------------------|--------------------------|
| Black Sandstone cement | Red Sandstone cement | White Sandstone cement | Clay color Smooth Cement |
| Brown Smooth Cement    | Grey Smooth Cement   | Khaki Smooth Cement    | Black Smooth Cement      |



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX14031 | 220-240V | E14          | MAX 40W |




Color/Material:

|                        |                      |                        |                          |
|------------------------|----------------------|------------------------|--------------------------|
| Black Sandstone cement | Red Sandstone cement | White Sandstone cement | Clay color Smooth Cement |
| Brown Smooth Cement    | Grey Smooth Cement   | Khaki Smooth Cement    | Black Smooth Cement      |



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX14033 | 220-240V | LED          | 15W     |



Color/Material:


|                        |                      |                        |                          |
|------------------------|----------------------|------------------------|--------------------------|
| Black Sandstone cement | Red Sandstone cement | White Sandstone cement | Clay color Smooth Cement |
| Brown Smooth Cement    | Grey Smooth Cement   | Khaki Smooth Cement    | Black Smooth Cement      |








| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX14034 | 220-240V | E27          | MAX 60W |



| Color/Material:        |                      |                        |                          |
|------------------------|----------------------|------------------------|--------------------------|
|                        |                      |                        |                          |
| Black Sandstone cement | Red Sandstone cement | White Sandstone cement | Clay color Smooth Cement |
|                        |                      |                        |                          |
| Brown Smooth Cement    | Grey Smooth Cement   | Khaki Smooth Cement    | Black Smooth Cement      |




| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX14035 | 220-240V | E27          | MAX 60W |



| Color/Material:        |                      |                        |                          |
|------------------------|----------------------|------------------------|--------------------------|
|                        |                      |                        |                          |
| Black Sandstone cement | Red Sandstone cement | White Sandstone cement | Clay color Smooth Cement |
|                        |                      |                        |                          |
| Brown Smooth Cement    | Grey Smooth Cement   | Khaki Smooth Cement    | Black Smooth Cement      |




| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX14036 | 220-240V | E27          | MAX 60W |



| Color/Material:        |                      |                        |                          |
|------------------------|----------------------|------------------------|--------------------------|
|                        |                      |                        |                          |
| Black Sandstone cement | Red Sandstone cement | White Sandstone cement | Clay color Smooth Cement |
|                        |                      |                        |                          |
| Brown Smooth Cement    | Grey Smooth Cement   | Khaki Smooth Cement    | Black Smooth Cement      |



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX14037 | 220-240V | E27          | MAX 40W |




| Color/Material:        |                      |                        |                          |
|------------------------|----------------------|------------------------|--------------------------|
|                        |                      |                        |                          |
| Black Sandstone cement | Red Sandstone cement | White Sandstone cement | Clay color Smooth Cement |
|                        |                      |                        |                          |
| Brown Smooth Cement    | Grey Smooth Cement   | Khaki Smooth Cement    | Black Smooth Cement      |



Concrete Pendant Lamps




| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX14038 | 220-240V | E27          | MAX 40W |



| Color/Material:        |                      |                        |                          |
|------------------------|----------------------|------------------------|--------------------------|
|                        |                      |                        |                          |
| Black Sandstone cement | Red Sandstone cement | White Sandstone cement | Clay color Smooth Cement |
|                        |                      |                        |                          |
| Brown Smooth Cement    | Grey Smooth Cement   | Khaki Smooth Cement    | Black Smooth Cement      |




| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX14039 | 220-240V | E27          | MAX 60W |




| Color/Material:        |                      |                        |                          |
|------------------------|----------------------|------------------------|--------------------------|
|                        |                      |                        |                          |
| Black Sandstone cement | Red Sandstone cement | White Sandstone cement | Clay color Smooth Cement |
|                        |                      |                        |                          |
| Brown Smooth Cement    | Grey Smooth Cement   | Khaki Smooth Cement    | Black Smooth Cement      |




| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX14040 | 220-240V | E27          | MAX 60W |



| Color/Material:        |                      |                        |                          |
|------------------------|----------------------|------------------------|--------------------------|
|                        |                      |                        |                          |
| Black Sandstone cement | Red Sandstone cement | White Sandstone cement | Clay color Smooth Cement |
|                        |                      |                        |                          |
| Brown Smooth Cement    | Grey Smooth Cement   | Khaki Smooth Cement    | Black Smooth Cement      |



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX14041 | 220-240V | E27          | MAX 60W |



| Color/Material:        |                      |                        |                          |
|------------------------|----------------------|------------------------|--------------------------|
|                        |                      |                        |                          |
| Black Sandstone cement | Red Sandstone cement | White Sandstone cement | Clay color Smooth Cement |
|                        |                      |                        |                          |
| Brown Smooth Cement    | Grey Smooth Cement   | Khaki Smooth Cement    | Black Smooth Cement      |






Concrete Pendant Lamps



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX14027 | 220-240V | G9           | MAX 40W |




Color/Material:

|                        |                      |                        |                          |
|------------------------|----------------------|------------------------|--------------------------|
| Black Sandstone cement | Red Sandstone cement | White Sandstone cement | Clay color Smooth Cement |
| Brown Smooth Cement    | Grey Smooth Cement   | Khaki Smooth Cement    | Black Smooth Cement      |



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX14028 | 220-240V | E14          | MAX 40W |




Color/Material:

|                        |                      |                        |                          |
|------------------------|----------------------|------------------------|--------------------------|
| Black Sandstone cement | Red Sandstone cement | White Sandstone cement | Clay color Smooth Cement |
| Brown Smooth Cement    | Grey Smooth Cement   | Khaki Smooth Cement    | Black Smooth Cement      |



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX14055 | 220-240V | E27          | MAX 60W |




Color/Material:

|                        |                      |                        |                          |
|------------------------|----------------------|------------------------|--------------------------|
| Black Sandstone cement | Red Sandstone cement | White Sandstone cement | Clay color Smooth Cement |
| Brown Smooth Cement    | Grey Smooth Cement   | Khaki Smooth Cement    | Black Smooth Cement      |



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX14054 | 220-240V | E27          | MAX 60W |



Color/Material:


|                        |                      |                        |                          |
|------------------------|----------------------|------------------------|--------------------------|
| Black Sandstone cement | Red Sandstone cement | White Sandstone cement | Clay color Smooth Cement |
| Brown Smooth Cement    | Grey Smooth Cement   | Khaki Smooth Cement    | Black Smooth Cement      |








| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX14042 | 220-240V | E27          | MAX 40W |



Color/Material:




| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX14046 | 220-240V | E27          | MAX 40W |



Color/Material:




| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX14043 | 220-240V | E27          | MAX 40W |



Color/Material:




| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX14047 | 220-240V | E27          | MAX 40W |



Color/Material:




| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX14044 | 220-240V | E27          | MAX 60W |



Color/Material:




| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX14048 | 220-240V | E27          | MAX 40W |



Color/Material:




| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX14045 | 220-240V | E27          | MAX 60W |



Color/Material:



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX14049 | 220-240V | G9           | MAX 40W |



Color/Material:








Concrete Pendant Lamps



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX14050 | 220-240V | E27          | MAX 60W |




Color/Material:

|                        |                      |                        |                          |
|------------------------|----------------------|------------------------|--------------------------|
| Black Sandstone cement | Red Sandstone cement | White Sandstone cement | Clay color Smooth Cement |
| Brown Smooth Cement    | Grey Smooth Cement   | Khaki Smooth Cement    | Black Smooth Cement      |



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX14051 | 220-240V | E27          | MAX 40W |




Color/Material:

|                        |                      |                        |                          |
|------------------------|----------------------|------------------------|--------------------------|
| Black Sandstone cement | Red Sandstone cement | White Sandstone cement | Clay color Smooth Cement |
| Brown Smooth Cement    | Grey Smooth Cement   | Khaki Smooth Cement    | Black Smooth Cement      |



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX14052 | 220-240V | E27          | MAX 60W |




Color/Material:

|                        |                      |                        |                          |
|------------------------|----------------------|------------------------|--------------------------|
| Black Sandstone cement | Red Sandstone cement | White Sandstone cement | Clay color Smooth Cement |
| Brown Smooth Cement    | Grey Smooth Cement   | Khaki Smooth Cement    | Black Smooth Cement      |



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX14053 | 220-240V | E27          | MAX 40W |



Color/Material:


|                        |                      |                        |                          |
|------------------------|----------------------|------------------------|--------------------------|
| Black Sandstone cement | Red Sandstone cement | White Sandstone cement | Clay color Smooth Cement |
| Brown Smooth Cement    | Grey Smooth Cement   | Khaki Smooth Cement    | Black Smooth Cement      |








Concrete Outdoor Wall Lamps




| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX33020 | 220-240V | 1*GU10       | MAX 35W |

Color/Material:




| Model   | Voltage  | Light Source | Wattage   |
|---------|----------|--------------|-----------|
| TX33021 | 220-240V | 2*GU10       | MAX 2*35W |

Color/Material:



| Model   | Voltage  | Light Source | Wattage   |
|---------|----------|--------------|-----------|
| TX33022 | 220-240V | 2*GU10       | MAX 2*35W |

Color/Material:




| Model   | Voltage  | Light Source | Wattage   |
|---------|----------|--------------|-----------|
| TX33023 | 220-240V | 2*GU10       | MAX 2*35W |

Color/Material:









| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX33024 | 220-240V | 1*GU10       | MAX 35W |

Color/Material:




| Model   | Voltage  | Light Source | Wattage   |
|---------|----------|--------------|-----------|
| TX33025 | 220-240V | 2*GU10       | MAX 2*35W |

Color/Material:




| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX33026 | 220-240V | E14          | MAX 40W |

Color/Material:




| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX33027 | 220-240V | E14          | MAX 40W |

Color/Material:



| Model    | Voltage  | Light Source | Wattage   |
|----------|----------|--------------|-----------|
| TX33029M | 220-240V | 2*GU10       | MAX 2*35W |

Color/Material:



| Model    | Voltage  | Light Source | Wattage |
|----------|----------|--------------|---------|
| TX33029S | 220-240V | GU10         | MAX 35W |


Color/Material:







Concrete Outdoor Wall Lamps




| Model    | Voltage  | Light Source | Wattage |
|----------|----------|--------------|---------|
| TX33028M | 220-240V | LED-2385     | 12W     |

Color/Material:



| Model    | Voltage  | Light Source | Wattage |
|----------|----------|--------------|---------|
| TX33028L | 220-240V | LED-2385     | 20W     |

Color/Material:




| Model    | Voltage  | Light Source | Wattage |
|----------|----------|--------------|---------|
| TX33028T | 220-240V | LED-2385     | 24W     |

Color/Material:








- Color/Material:
- |                        |                      |                        |                          |
|------------------------|----------------------|------------------------|--------------------------|
|                        |                      |                        |                          |
| Black Sandstone cement | Red Sandstone cement | White Sandstone cement | Clay color Smooth Cement |
|                        |                      |                        |                          |
| Brown Smooth Cement    | Grey Smooth Cement   | Khaki Smooth Cement    | Black Smooth Cement      |




| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX22001 | 220-240V | LED          | 6W      |



- Color/Material:
- |                        |                      |                        |                          |
|------------------------|----------------------|------------------------|--------------------------|
|                        |                      |                        |                          |
| Black Sandstone cement | Red Sandstone cement | White Sandstone cement | Clay color Smooth Cement |
|                        |                      |                        |                          |
| Brown Smooth Cement    | Grey Smooth Cement   | Khaki Smooth Cement    | Black Smooth Cement      |




| Model   | Voltage  | Light Source | Wattage   |
|---------|----------|--------------|-----------|
| TX22002 | 220-240V | 2×GU10       | 2×MAX 50W |



- Color/Material:
- |                        |                      |                        |                          |
|------------------------|----------------------|------------------------|--------------------------|
|                        |                      |                        |                          |
| Black Sandstone cement | Red Sandstone cement | White Sandstone cement | Clay color Smooth Cement |
|                        |                      |                        |                          |
| Brown Smooth Cement    | Grey Smooth Cement   | Khaki Smooth Cement    | Black Smooth Cement      |



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX22003 | 220-240V | E27          | MAX 60W |



- Color/Material:
- |                        |                      |                        |                          |
|------------------------|----------------------|------------------------|--------------------------|
|                        |                      |                        |                          |
| Black Sandstone cement | Red Sandstone cement | White Sandstone cement | Clay color Smooth Cement |
|                        |                      |                        |                          |
| Brown Smooth Cement    | Grey Smooth Cement   | Khaki Smooth Cement    | Black Smooth Cement      |



| Model   | Voltage  | Light Source | Wattage |
|---------|----------|--------------|---------|
| TX22004 | 220-240V | E27          | MAX 60W |